

# SPK 024


Powered Speaker



This versatile powered speaker accepts microphone, line or 72MHz receiver sled inputs satisfying needs for group listening, nursery, cry room, office or any location where a powered speaker is needed.

# Powered Speaker

## SPK 024 Powered Speaker




SPK 024 Front View

<b>Dimensions:</b>	12.4"H x 7.1"W x 7.5"D (315mm x 180mm x 190mm)
<b>Color:</b>	Black with white legends
<b>Weight:</b>	9.4lb (4.3kg) approx.
<b>Rated Power:</b>	20 watts continuous
<b>Frequency Response:</b>	65Hz – 7kHz
<b>Max SPL @ rated output:</b>	101dB @ 1 meter
<b>Woofers:</b>	5.25" (133.35mm) high efficiency magnetically shielded
<b>Tweeter:</b>	1" (25mm) dome
<b>Crossover:</b>	1st order passive @ 8kHz
<b>Tone Control:</b>	-6dB/octave sliding lowpass (3kHz to 8kHz)

### Wired inputs/output

<b>Mic:</b>	-81dBV (0.089mVRMS) for 1 watt 100KΩ unbalanced, 1/4 " phone jack, variable
<b>Line:</b>	-40dBV (10mVRMS) for 1 watt 10KΩ unbalanced, RCA jack, variable
<b>Channel A, B</b>	Slots for optional SLD 072 wireless receivers
<b>Line-Out:</b>	+15dBV max - RCA jack
<b>AC Power Requirements:</b>	User switchable 110-125 / 210-240VAC - 50Hz / 60Hz
<b>Approvals:</b>	UL, C-UL, RoHS, WEEE
<b>Included w/speaker:</b>	Removable wall-mount bracket with 2 screws and rubber anti-rotate pads, removable right-angle AC cord, 4 self-adhesive anti-skid pads, 4 module screws.



SPK 024 Back View

# FM Remote Speaker

---

## **Bid Specs:**

### **SPK 024**

The Williams Sound SPK 024 shall have a 20 watt amplifier and two way speaker system with a 5.25" magnetically shielded woofer and a 1" dome tweeter. It shall be housed in a black heavy duty plastic enclosure 12.4" x 7.09" x 5.6" and weigh approximately 9 lbs.

The SPK 024 shall have an RCA jack for line input, RCA jack for line output, ¼" phone jack for unbalanced microphone input and two slots for SLD 072 wireless receiver modules. It shall have independent microphone and line input adjust and have master tone and volume rotary controls.

The SPK 024 shall be AC powered, user selectable between 115 - 230VAC and be UL, C-UL, RoHS and WEEE compliant.

The SPK 024 shall be supplied with a wall mount bracket and have the ability to be mounted on a microphone stand (not supplied).

The SPK 024 shall have a two year warranty and be called the Williams Sound SPK 024.

### **Domestic Sales**

Williams Sound  
10300 Valley View Rd.  
Eden Prairie, MN 55344  
Ph: 800-328-6190 / 952-943-2252  
FAX: 952-943-2174  
Email: [info@williamssound.com](mailto:info@williamssound.com)  
Web: [www.williamssound.com](http://www.williamssound.com)

### **International Sales**

International Sales Department  
Williams Sound  
10300 Valley View Rd.  
Eden Prairie, MN 55344 USA  
Phone: +1 952 943 2252  
Fax: +1 952 943 2174  
Email: [info@williamssound.com](mailto:info@williamssound.com)  
Web: [www.williamssound.com](http://www.williamssound.com)



**WILLIAMS SOUND**®  
HELPING PEOPLE HEAR

800.843.3544 / [info@williamssound.com](mailto:info@williamssound.com) / [www.williamssound.com](http://www.williamssound.com)